

5 February 1974

The David Clark Company
P. O. Box 15
Greendale Station
Worcester, Massachusetts 01606

STATINTL

Attention:

Subject : Shark Screen

Gentlemen:

Tests have been completed using the prototype shark screen received from you. The following information and recommendation are results of the test:

1. The tests were conducted using the USAF LPU 2/P life preserver. By using the life preserver, the dimensions can be reduced considerably (see attached sketch).
2. Construction can be simplified by making a curved seam at the bottom rather than fitting a circular piece of material to make the bottom. The circular bottom deploys somewhat better than a semicircular seal but it's more complicated to build and will not package as well.
3. The enclosed sketch shows what a "Shark Screen" would look like with minimum dimensions for the life preserver with the following additional comments:

Page Two

a. In order to reduce package size, recommend that only one (1) inflatable ring be used, the lowest one. Instead of the upper two (2) rings, a single thickness of the same material used on the bottom part should be used with twelve (12) grommet holes and a draw string. With the reduction in dimensions indicated on the sketch, the volume of materials needed should be reduced by one-third.

b. The material used for the entire bottom part of the bag should be the aluminized mylar with black polyester over the aluminized side, black side out, shining side in.

c. The inflatable ring should be made of mylar coated with black polyester only. No aluminizing on the material. The inflatable ring should be partially sealed or tacked together periodically around the circumference in order that the ring will hold a circular shape when inflated.

d. Use screw-type closing valve for inflatable ring.

e. Make semicircular seal at the bottom of the bag rather than fitting a circular bottom to the bag.


f. The dimensions indicated on the sketch will reduce the amount of material in the "Shark Screen" to two-thirds of what it was in the prototype.

g. Vacuum packing should be used to reduce final package size to the minimum.

Would appreciate you looking over the new sketch and then giving us a price quote for sixty (60) each "Shark Screens". Also please include size vacuum packed and weight.

STATINTL

Very truly yours,




Enclosure
Sketch of shark screen

5 February 1974

Approved For Release 2003/02/27 : CIA-RDP75B00285R000100220001-6

SHARK SCREEN



*Shown Laid Out Flat

Approved For Release 2003/02/27 : CIA-RDP75B00285R000100220001-6